EXHIBIT 1

UNITED STATES DISTRICT COURT FOR THE MIDDLE DISTRICT OF TENNESSEE NASHVILLE DIVISION

KAYLA GORE; JAIME COMBS; L.G.; and K.N.,

Plaintiffs,

v.

WILLIAM BYRON LEE, in his official capacity as Governor of the State of Tennessee; and LISA PIERCEY, in her official capacity as Commissioner of the Tennessee Department of Health,

Defendants.

Case No. 3:19-CV-00328

DISTRICT JUDGE RICHARDSON MAGISTRATE JUDGE HOLMES

EXPERT DECLARATION OF DR. RANDI C. ETTNER, Ph.D.

- I, Dr. Randi C. Ettner, declare as follows:
- 1. I submit this expert declaration based on my personal knowledge.
- 2. I have been retained by counsel for Plaintiffs as an expert in connection with the above-mentioned litigation. Specifically, I have been asked by Plaintiffs' counsel to provide my expert opinion on how Tennessee's policy prohibiting transgender persons born in Tennessee from obtaining accurate birth certificates reflecting their true sex and gender identity affects transgender individuals.
- 3. I have actual knowledge of the matters stated herein. If called to testify in this matter, I would testify truthfully and based on my expert opinion.

I. BACKGROUND AND QUALIFICATIONS

4. I am a licensed clinical and forensic psychologist with expertise concerning the diagnosis and treatment of gender dysphoria. I received my doctorate in psychology from

Northwestern University in 1979. I was the chief psychologist at the Chicago Gender Center from 2005 to 2016, when it moved to the Weiss Memorial Hospital. Since that time, I have held the sole psychologist position at the Center for Gender Confirmation Surgery at Weiss Memorial Hospital. The center specializes in the treatment of individuals with gender dysphoria. I have been involved in the treatment of patients with gender dysphoria since 1977, when I was an intern at Cook County Hospital in Chicago.

- 5. During the course of my career, I have evaluated and/or treated between 2,500 and 3,000 individuals with gender dysphoria and mental health issues related to gender variance.
- 6. I have published four books related to the treatment of individuals with gender dysphoria, including the medical text entitled Principles of Transgender Medicine and Surgery (Ettner, Monstrey & Eyler, 2007) and the second edition (Ettner, Monstrey & Coleman, 2016). I have authored numerous articles in peer-reviewed journals regarding the provision of care to this population. I serve as a member of the editorial boards for the International Journal of *Transgenderism* and *Transgender Health*.
- 7. I am the Secretary and member of the Executive Board of Directors of the World Professional Association for Transgender Health ("WPATH") (formerly the Harry Benjamin Gender Dysphoria Association) and an author of the WPATH Standards of Care for the Health of Transsexual, Transgender and Gender-nonconforming People (7th version), published in 2011. The WPATH promulgated Standards of Care ("Standards of Care") are the internationally recognized guidelines for the treatment of persons with gender dysphoria and serve to inform medical treatment in the United States and throughout the world.
- 8. I have lectured throughout North America, South America, Europe, and Asia on topics related to gender dysphoria, and on numerous occasions I have presented grand rounds on

gender dysphoria at medical hospitals. I am the honoree of the externally-funded Randi and Fred Ettner Fellowship in Transgender Health at the University of Minnesota. I have been an invited guest at the National Institute of Health to participate in developing a strategic research plan to advance the health of sexual and gender minorities, and in November 2017 was invited to address the Director of the Office of Civil Rights of the United States Department of Health and Human Services regarding the medical treatment of gender dysphoria. I received a commendation from the United States Congress House of Representatives on February 5, 2019 recognizing my work for WPATH and Gender Dysphoria in Illinois.

- 9. I have been retained as an expert regarding gender dysphoria and its treatment in multiple court cases in both state and federal courts, as well as administrative proceedings, and have repeatedly qualified as an expert. I have also been a consultant to policy makers regarding appropriate care for transgender inmates and for the Centers for Medicare and Medicaid in the state of Illinois.
- 10. A true and accurate copy of my Curriculum Vitae is attached hereto as Exhibit A. It documents my education, training, research, and years of experience in this field and includes a list of publications. A bibliography of the materials reviewed in connection with this declaration is attached hereto as Exhibit B. The sources cited therein are authoritative, scientific peer-reviewed publications. I generally rely on these materials when I provide expert testimony, and they include the documents specifically cited as supportive examples in particular sections of this declaration. The materials I have relied on in preparing this declaration are the same type of materials that experts in my field of study regularly rely upon when forming opinions on the subject.
- 11. I have not met or spoken with the Plaintiffs for purposes of this declaration. My opinions are based solely on the information I have been provided by Plaintiffs' attorneys, the

materials referenced in the Bibliography as Exhibit B and cited herein, and my extensive experience studying gender dysphoria and in treating transgender patients.

Previous Testimony

12. In the last four years, I have testified as an expert at trial or by deposition in the following cases: Eller v. Prince George's Cty. Public Sch., No. 8:18-cv-03649-TDC (D. Md. 2020); Ray v. Acton, No. 2:18-cv-00272 (S.D. Ohio 2019); Monroe v. Jeffreys, No. 3:18-cv-00156-NJR-MAB (S.D. Ill. 2019); Soneeya v. Turco, No. 07-12325-DPW (D. Mass. 2019); Edmo v. Idaho Dep't of Correction, No. 1:17-CV-00151-BLW, 2018 WL 2745898 (D. Idaho 2018); Carillo v U.S. Dep't of Justice Exec. Office of Immig. Rev. (2017); Broussard v. First Tower Loan, LLC, 135 F. Supp. 3d 540 (E.D. La. 2016); Faiella v. American Medical Response of Conn., Inc., No. HHD-CV15-6061263-S (Conn. Super. Ct.).

Compensation

13. I am being compensated for my work on this matter at a rate of \$375.00 per hour for preparation of declarations and expert reports. My compensation does not depend on the outcome of this litigation, the opinions I express, or the testimony I may provide.

II. SUMMARY OF OPINIONS

14. Medical management of gender dysphoria includes the alignment of appearance, presentation, expression, and often, the body, to reflect a person's true sex as determined by their gender identity. Correcting the gender marker on identification documents confers social and legal recognition of identity and is crucial to this process. The necessity and importance of privacy is universal, and exists even in animals. A wide range of species avoid predators by managing information about internal states and future intentions, for purposes of survival. Privacy enables normal psychological functioning, the ability to have experiences that promote healthy personal

growth and interpersonal relationships, and allows for measured self-disclosure. It is the basis for the development of individuality and autonomy.

15. For a transgender person, a birth certificate bearing an incorrect gender marker invades privacy, releases confidential medical information, and places the individual at risk for grave psychological and physical harm.

III. **EXPERT OPINIONS**

a. Sex and Gender Identity

- 16. At birth, infants are assigned a sex, typically male or female, based solely on the appearance of their external genitalia. For most people, that assignment turns out to be accurate, and their birth-assigned sex matches that person's actual sex. However, for transgender people, the sex assigned at birth does not align with the individual's genuine, experienced sex, resulting in the distressing condition of gender dysphoria.
- 17. External genitalia alone—the critical criterion for assigning sex at birth—is not an accurate proxy for a person's sex.
- 18. A person's sex is comprised of a number of components including, inter alia: chromosomal composition (detectible through karyotyping); gonads and internal reproductive organs (detectible by ultrasound, and occasionally by a physical pelvic exam); external genitalia (which are visible at birth); sexual differentiations in brain development and structure (detectible by functional magnetic resonance imaging studies and autopsy); and gender identity.
- 19. Gender identity is a person's inner sense of belonging to a particular sex, such as male or female. It is a deeply felt and core component of human identity. It is detectible by selfdisclosure in adolescents and adults.

- 20. When there is divergence between anatomy and identity, one's gender identity is paramount and the primary determinant of an individual's sex designation. Developmentally, identity is the overarching determinant of the self-system, influencing personality, a sense of mastery, relatedness, and emotional reactivity, across the life span. It is also the foremost predictor of satisfaction and quality of life. Psychologist Eric Erickson defined identity as "the single motivating force in life."
- 21. Like non-transgender people (also known as cisgender people), transgender people do not simply have a "preference" to act or behave consistently with each's gender identity. Every person has a gender identity. It is a firmly established elemental component of the self-system of every human being.
- 22. The only difference between transgender people and cisgender people is that the latter have gender identities that are consistent with their birth-assigned sex whereas the former do not. A transgender man cannot simply turn off his gender identity like a switch, any more than anyone else could.
 - 23. In other words, transgender men are men and transgender women are women.
- 24. A growing assemblage of research documents that gender identity is immutable and biologically based. Efforts to change an individual's gender identity are therefore both futile and unethical.
- 25. The evidence demonstrating that gender identity cannot be altered, either for transgender or for non-transgender individuals, further underscores the innate and immutable nature of gender identity. Past attempts to "cure" transgender individuals by means of psychotherapy, aversion treatments or electroshock therapy, in order to change their gender identity to match their birth-assigned sex, have proven ineffective and caused extreme

psychological damage. All major associations of medical and mental health providers, such as the American Medical Association, the American Psychiatric Association, the American Psychological Association, and WPATH's Standards of Care, consider such efforts unethical.

b. Gender Dysphoria and Its Treatment

- 26. Gender dysphoria is the clinically significant distress or impairment of functioning that can result from the incongruence between a person's gender identity and the sex assigned to them at birth. Gender dysphoria is a serious medical condition associated with severe and unremitting emotional pain from the incongruity between various aspects of one's sex. It is codified in the *International Classification of Diseases* (10th revision: World Health Organization), the diagnostic and coding compendia for mental health and medical professionals, and the American Psychiatric Association's *Diagnostic and Statistical Manual of Mental Disorders* Fifth Edition (DSM-5). People diagnosed with gender dysphoria have an intense and persistent discomfort with their assigned sex.
- 27. Gender dysphoria was previously referred to as gender identity disorder. In 2013, the American Psychiatric Association changed the name and diagnostic criteria to be "more descriptive than the previous DSM-IV term gender identity disorder and focus[] on dysphoria as the clinical problem, not identity per se." DSM-5 at 451.
- 28. The diagnostic criteria for Gender Dysphoria in Adolescents and Adults are as follows:
 - a. A marked incongruence between one's experienced/expressed gender and assigned gender, of at least six months' duration, as manifested by at least two of the following:

- A marked incongruence between one's experienced/expressed gender and primary and/or secondary sex characteristics (or in young adolescents, the anticipated secondary sex characteristics).
- ii. A strong desire to be rid of one's primary and/or secondary sex characteristics because of a marked incongruence with one's experienced/expressed gender (or in young adolescents, a desire to prevent the development of the anticipated sex characteristics).
- iii. A strong desire for the primary and/or secondary sex characteristics of the other gender.
- iv. A strong desire to be of the other gender (or some alternative gender different from one's assigned gender).
- v. A strong desire to be treated as the other gender (or some alternative gender different from one's assigned gender).
- vi. A strong conviction that one has the typical feelings and reactions of the other gender (or some alternative gender different from one's assigned gender).
- b. The condition is associated with clinically significant distress or impairment in social, occupational or other important areas of functioning.
- 29. Once a diagnosis of gender dysphoria is established, individualized treatment should be initiated. Without treatment, individuals with gender dysphoria experience anxiety, depression, suicidality and other attendant mental health issues and are often unable to adequately function in occupational, social, or other areas of life.
- 30. Although rates of suicide are higher amongst the transgender community than the general population, a 2015 study identified several factors that were associated with large

reductions in suicide risk. The study reported that having an identity document with a gender marker notation that matched their lived gender was associated with a large reduction in suicidal ideation and attempts. The study noted that having one or more of these concordant identity documents has the potential to prevent suicidal ideation and suicide attempts—demonstrating that in a hypothetical sampling of 1,000 transgender people who were permitted to change an identity document gender marker, 90 cases of ideation could be prevented, and, in a hypothetical sampling of 1,000 transgender people with suicidal ideation who were permitted to change an identity document gender marker, 230 suicide attempts could be prevented.

- 31. The medically accepted standards of care for treatment of gender dysphoria are set forth in the WPATH Standards of Care (7th version, 2011), first published in 1979. The WPATH-promulgated Standards of Care are the internationally recognized guidelines for the treatment of persons with gender dysphoria, and inform medical treatment throughout the world.
- 32. The American Medical Association, the Endocrine Society, the American Psychological Association, the American Psychiatric Association, the World Health Organization, the American Academy of Family Physicians, the National Commission of Correctional Health Care, the American Public Health Association, the National Association of Social Workers, the American College of Obstetrics and Gynecology, the American Society of Plastic Surgeons, and The American Society of Gender Surgeons all endorse protocols in accordance with the WPATH standards. (See, e.g., American Medical Association (2008) Resolution 122 (A-08); Endocrine Treatment of Transsexual Persons: An Endocrine Society Clinical Practice Guideline (2009); American Psychological Association Policy Statement on Transgender, Gender Identity and Gender Expression Nondiscrimination (2009).)

- 33. The Standards of Care identify the following treatment protocols for treating individuals with gender dysphoria, which should be tailored to the patient's individual medical needs:
 - Changes in gender expression and role, also known as social transition (which
 involves living in the gender role consistent with one's gender identity);
 - Hormone therapy to feminize or masculinize the body in order to reduce the distress caused by the discordance between one's gender identity and sex assigned at birth;
 - Surgery to change primary and/or secondary sex characteristics; and
 - Psychotherapy (individual, couple, family, or group) for purposes such as
 exploring gender identity, role, and expression; addressing the negative impact
 of gender dysphoria and stigma on mental health; alleviating internalized
 transphobia; enhancing social and peer support; improving body image; and
 promoting resilience.
- 34. These treatments do not change a transgender person's sex, which is already determined by their gender identity. Attempts to change a person's gender identity to bring it into alignment with their birth-assigned sex are not only futile, but also dangerous and unethical.

c. The Process of Gender Transition

35. Gender transition is the process through which a person begins bringing their outer appearance and lived experience into alignment with their core gender. Transition may or may not include medical or legal aspects such as taking hormones, having surgeries, or correcting the sex designation on identity documents. Social transition—which often includes correcting one's identity documents to accurately reflect one's sex—is the most important, and sometimes the only,

aspect of transition that transgender people undertake. Changes often associated with a social transition include changes in clothing, name, pronouns, and hairstyle.

- 36. A complete transition is one in which a person attains a sense of lasting personal comfort with their gendered self, thus maximizing overall health, well-being, and personal safety. Social role transition has an enormous impact in the treatment of gender dysphoria. An early seminal study emphasizes the importance of aligning presentation and identity. Greenberg and Laurence (1981) compared the psychiatric status of individuals with gender dysphoria who had socially transitioned with those who had not. Those who had implemented a social transition showed "a notable absence of psychopathology" compared to those who were living in their birth-assigned sex.
- 37. Hormones are often medically indicated for patients with gender dysphoria, and are extremely therapeutic. In addition to inducing a sense of wellbeing, owing to the influence of sex steroids on the brain, hormones induce physical changes which attenuate the dysphoria. One or more surgical procedures are medically indicated for some, but by no means all, transgender individuals.
- 38. A person's gender identity is an innate, immutable characteristic; it is not determined by a particular medical treatment or procedure. The medical treatments provided to transgender people (including social transition), do not "change a woman into a man" or vice versa. Instead, they affirm the authentic gender that an individual person *is*.
- 39. The goal of proper treatment is to align the person's body and lived experience with the person's fixed identity as male or female, which already exists. Treatment creates more alignment between the person's identity and the person's appearance, attenuating the dysphoria, and allowing the person's actual sex to be seen and recognized by others. Treatments fall below

the accepted *Standards of Care* if they fail to recognize that a person's affirmed gender identity is not how they feel, but rather essentially who they are.

d. The Importance of Accurate Identity Documents, Including Birth Certificates, for Transgender People

- 40. Being unable to correct the gender marker on one's identity documents, including one's birth certificate, means that transgender people are forced to display documents that indicate their birth-assigned sex (typically assumed based only by the appearance of genitalia at birth), rather than their actual sex as determined by their gender identity and their lived experience. This discordance creates a myriad of deleterious social and psychological consequences.
- 41. Identity documents consistent with one's lived experience affirm and consolidate one's gender identity, mitigating distress and functional consequences. Changes in gender presentation and role, to feminize or masculinize appearance, and social and legal recognition, are crucial components of treatment for gender dysphoria. Social transition involves dressing, grooming, and otherwise outwardly presenting oneself through social signifiers of a person's true sex as determined by their affirmed gender identity.
- 42. Through this process, the shame of growing up living as a "false self" and the grief of being born into the "wrong body" are ameliorated. Being socially and legally recognized with correct identification is essential to successful treatment. The WPATH *Standards of Care* explicitly state that changing the gender marker on identity documents greatly assists in alleviating gender dysphoria. Uncorrected identity documents serve as constant reminders that one's identity is perceived by society and government as "illegitimate." Individuals who desire and require surgery must, as a prerequisite, undergo social role transition, which can be thwarted or upended by inaccurate identification documents.

- 43. An inability to access identity documents that accurately reflect one's true sex is harmful and exacerbates gender dysphoria, kindling shame and amplifying fear of exposure. Inaccurate documents can cause an individual to isolate, in order to avoid situations that might evoke discrimination, ridicule, accusations of fraud, harassment, or even violence—experiences that are all too common among transgender people. Ultimately, this leads to feelings of hopelessness, lack of agency, and despair. Being stripped of one's dignity, privacy, and the ability to move freely in society can lead to a degradation of coping strategies and cause major psychiatric disorders, including generalized anxiety disorder, major depressive disorder, posttraumatic stress disorder, emotional decompensation, and suicidality. Research has demonstrated that transgender women who fear disclosure are at 100% increased risk for hypertension, owing to the intersection of stress and cardiac reactivity.
- 44. An abundance of research establishes that transgender people suffer from stigma and discrimination. The "minority stress model" explains that the negative impact of the stress attached to being stigmatized is socially based. This stress can be both *external*, i.e., actual experiences of rejection or discrimination (enacted stigma), and, as a result of such experiences, *internal*, i.e., perceived rejection or the expectation of being humiliated or discriminated against (felt stigma). Both are corrosive to physical and mental health.
- 45. Until recently, it was not understood that these experiences of humiliation and discrimination have serious and enduring consequences. It is now well documented that stigmatization and victimization are the most powerful predictors of current and future mental health problems. The presentation of a birth certificate is required in numerous situations. For the transgender individual, an inaccurate birth certificate can transform a mundane interaction into a

traumatic experience. Repeated negative experiences inevitably erode resilience, creating an ingravescent course of gender dysphoria and attendant psychiatric disorders.

46. Many people who suffer from gender dysphoria go to great lengths to align their physical characteristics, voice, mannerisms and appearance to match their gender identity. Since gender identity is immutable, these changes are the appropriate, and indeed the only treatment for the condition. Understandably, the desire to make an authentic appearance is of great concern for transgender individuals, as the *sine qua non* of the gender dysphoria diagnosis is the desire to be regarded in accordance with one's true sex as determined by one's gender identity. Privacy, and the ability to control whether, when, how, and to whom to disclose one's transgender status, is essential to accomplishing this therapeutic aim.

47. Thus, when an individual implements a social role transition, legal recognition of that transition is vital and an accurate birth certificate is a crucial aspect of that recognition, in large part because congruent identity documentation confers privacy—the right to maintain stewardship of personal and medical information—allowing an individual to live a safe and healthy life.

//

//

//

I declare under penalty of perjury under the laws of the United States of America that the foregoing is true and correct.

Dated this 2 day of February, 2020.

Dr. Randi C. Ether Dr. Randi C. Ettner

Exhibit A – Curriculum Vitae

RANDI ETTNER, PH.D. 1214 Lake Street Evanston, Illinois 60201 847-328-3433

POSITIONS HELD

Clinical Psychologist

Forensic Psychologist

Fellow and Diplomate in Clinical Evaluation, American Board of

Psychological Specialties

Fellow and Diplomate in Trauma/PTSD

President, New Health Foundation Worldwide

Secretary, World Professional Association of Transgender Healthcare (WPATH)

Chair, Committee for Institutionalized Persons, WPATH

Global Education Initiative Committee

University of Minnesota Medical Foundation: Leadership Council

Psychologist, Center for Gender Confirmation Surgery, Weiss Memorial Hospital

Adjunct Faculty, Prescott College

Editorial Board, International Journal of Transgenderism

Editorial Board, Transgender Health

Television and radio guest (more than 100 national and international appearances)

Internationally syndicated columnist

Private practitioner

Medical staff Weiss Memorial Hospital, Chicago IL

EDUCATION

PhD, 1979	Northwestern University (with honors) Evanston, Illinois
MA, 1976	Roosevelt University (with honors) Chicago, Illinois
BA, 1969-73	Indiana University Bloomington, Indiana Cum Laude Major: Clinical Psychology; Minor: Sociology
1972	Moray College of Education Edinburgh, Scotland International Education Program
1970	Harvard University

Dynamics and Processes

Cambridge, Massachusetts

Social Relations Undergraduate Summer Study Program in Group

CLINICAL AND PROFESSIONAL EXPERIENCE

2016-present	Psychologist: Weiss Memorial Hospital Center for Gender Confirmation Surgery
	Consultant: Walgreens; Tawani Enterprises
	Private practitioner
2011	Instructor, Prescott College: Gender-A multidimensional approach
2000	Instructor, Illinois Professional School of Psychology
1995-present	Supervision of clinicians in counseling gender nonconforming clients
1993	Post-doctoral continuing education with Dr. James Butcher in MMPI-2 Interpretation, University of Minnesota
1992	Continuing advanced tutorial with Dr. Leah Schaefer in psychotherapy
1983-1984	Staff psychologist, Women's Health Center, St. Francis Hospital, Evanston, Illinois
1981-1984	Instructor, Roosevelt University, Department of Psychology: Psychology of Women, Tests and Measurements, Clinical Psychology, Personal Growth, Personality Theories, Abnormal Psychology
1976-1978	Research Associate, Cook County Hospital, Chicago, Illinois, Department of Psychiatry
1975-1977	Clinical Internship, Cook County Hospital, Chicago, Illinois, Department of Psychiatry
1971	Research Associate, Department of Psychology, Indiana University
1970-1972	Teaching Assistant in Experimental and Introductory Psychology Department of Psychology, Indiana University
1969-1971	Experimental Psychology Laboratory Assistant, Department of Psychology, Indiana University

LECTURES AND HOSPITAL GRAND ROUNDS PRESENTATIONS

The Transgender Surgical Patient, American Society of Plastic Surgeons, Miami, FL 2019

Mental health issues in transgender health care, American Medical Student Association, webinar presentation, 2019

Sticks and stones: Childhood bullying experiences in lesbian women and transmen, Buenos Aires, 2018

Gender identity and the Standards of Care, American College of Surgeons, Boston, MA, 2018

The mental health professional in the multi-disciplinary team, pre-operative evaluation and assessment for gender confirmation surgery, American Society of Plastic Surgeons, Chicago, IL, 2018; Buenos Aires, 2018

Navigating Transference and Countertransference Issues, WPATH global education initiative. Portland, OR: 2018

Psychological aspects of gender confirmation surgery International Continence Society, Philadelphia, PA 2018

The role of the mental health professional in gender confirmation surgeries, Mt. Sinai Hospital, New York City, NY, 2018

Mental health evaluation for gender confirmation surgery, Gender Confirmation Surgical Team, Weiss Memorial Hospital, Chicago, IL 2018

Transitioning; Bathrooms are only the beginning, American College of Legal Medicine, Charleston, SC, 2018

Gender Dysphoria: A medical perspective, Department of Health and Human Services, Office for Civil Rights, Washington, D.C, 2017

Multi-disciplinary health care for transgender patients, James A. Lovell Federal Health Care Center, North Chicago, IL, 2017

Psychological and Social Issues in the Aging Transgender Person, Weiss Memorial Hospital, Chicago, IL, 2017.

Psychiatric and Legal Issues for Transgender Inmates, USPATH, Los Angeles, CA, 2017

Transgender 101 for Surgeons, American Society of Plastic Surgeons, Chicago, IL, 2017.

Healthcare for transgender inmates in the US, Erasmus Medical Center, Rotterdam, Netherlands, 2016.

Tomboys Revisited: Replication and Implication; Models of Care; Orange Isn't the New Black Yet- WPATH symposium, Amsterdam, Netherlands, 2016.

Foundations in mental health; role of the mental health professional in legal and policy issues, healthcare for transgender inmates; children of transgender parents; transfeminine genital surgery assessment: WPATH global education initiative, Chicago, IL, 2015; Atlanta, GA, 2016; Ft. Lauderdale, FL, 2016; Washington, D.C., 2016, Los Angeles, CA, 2017, Minneapolis, MN, 2017, Chicago, IL, 2017; Columbus, Ohio, 2017; Portland, OR, 2018; Cincinnati, OH, 2018, Buenos Aires, 2018

Pre-operative evaluation in gender-affirming surgery-American Society of Plastic Surgeons, Boston, MA, 2015

Gender affirming psychotherapy; Assessment and referrals for surgery-Standards of Care-Fenway Health Clinic, Boston, 2015 Gender reassignment surgery-Midwestern Association of Plastic Surgeons, 2015

Adult development and quality of life in transgender healthcare- Eunice Kennedy Shriver National Institute of Child Health and Human Development, 2015

Healthcare for transgender inmates- American Academy of Psychiatry and the Law, 2014

Supporting transgender students: best school practices for success- American Civil Liberties Union of Illinois and Illinois Safe School Alliance, 2014

Addressing the needs of transgender students on campus- Prescott College, 2014

The role of the behavioral psychologist in transgender healthcare – Gay and Lesbian Medical Association, 2013

Understanding transgender- Nielsen Corporation, Chicago, Illinois, 2013

Role of the forensic psychologist in transgender care; Care of the aging transgender patient-University of California San Francisco, Center for Excellence, 2013

Evidence-based care of transgender patients- North Shore University Health Systems, University of Chicago, Illinois, 2011; Roosevelt-St. Vincent Hospital, New York; Columbia Presbyterian Hospital, Columbia University, New York, 2011

Children of Transsexuals-International Association of Sex Researchers, Ottawa, Canada, 2005; Chicago School of Professional Psychology, 2005

Gender and the Law- DePaul University College of Law, Chicago, Illinois, 2003; American Bar Association annual meeting, New York, 2000

Gender Identity, Gender Dysphoria and Clinical Issues –WPATH Symposium, Bangkok, Thailand, 2014; Argosy College, Chicago, Illinois, 2010; Cultural Impact Conference, Chicago, Illinois, 2005; Weiss Hospital, Department of Surgery, Chicago, Illinois, 2005; Resurrection Hospital Ethics Committee, Evanston, Illinois, 2005; Wisconsin Public Schools,

Sheboygan, Wisconsin, 2004, 2006, 2009; Rush North Shore Hospital, Skokie, Illinois, 2004; Nine Circles Community Health Centre, University of Winnipeg, Winnipeg, Canada, 2003; James H. Quillen VA Medical Center, East Tennessee State University, Johnson City, Tennessee, 2002; Sixth European Federation of Sexology, Cyprus, 2002; Fifteenth World Congress of Sexology, Paris, France, 2001; Illinois School of Professional Psychology, Chicago, Illinois 2001; Lesbian Community Cancer Project, Chicago, Illinois 2000; Emory University Student Residence Hall, Atlanta, Georgia, 1999; Parents, Families and Friends of Lesbians and Gays National Convention, Chicago, Illinois, 1998; In the Family Psychotherapy Network National Convention, San Francisco, California, 1998; Evanston City Council, Evanston, Illinois 1997; Howard Brown Community Center, Chicago, Illinois, 1995; YWCA Women's Shelter, Evanston, Illinois, 1995; Center for Addictive Problems, Chicago, 1994

Psychosocial Assessment of Risk and Intervention Strategies in Prenatal Patients- St. Francis Hospital, Center for Women's Health, Evanston, Illinois, 1984; Purdue University School of Nursing, West Layette, Indiana, 1980

Psychonueroimmunology and Cancer Treatment- St. Francis Hospital, Evanston, Illinois, 1984

Psychosexual Factors in Women's Health- St. Francis Hospital, Center for Women's Health, Evanston, Illinois, 1984

Sexual Dysfunction in Medical Practice- St. Francis Hospital, Dept. of OB/GYN, Evanston, Illinois, 1980

Sleep Apnea - St. Francis Hospital, Evanston, Illinois, 1996; Lincolnwood Public Library, Lincolnwood, Illinois, 1996

The Role of Denial in Dialysis Patients - Cook County Hospital, Department of Psychiatry, Chicago, Illinois, 1977

PUBLICATIONS

Ettner, R., White, T., Ettner, F., Friese, T., Schechter, L. (2018) Tomboys revisited: A retrospective comparison of childhood behaviors in lesbians and transmen. *Journal of Child and Adolescent Psychiatry*.

Narayan, S., Danker, S Esmonde, N., Guerriero, J., Carter, A., Dugi III, D., Ettner, R., Radix A., Bluebond-Langner, R., Schechter, L., Berli, J. (2018) A survey study of surgeons' experience with regret and reversal of gender-confirmation surgeries as a basis for a multidisciplinary approach to a rare but significant clinical occurrence, submitted.

Ettner, R. Mental health evaluation. <u>Clinics in Plastic Surgery</u>. (2018) Elsevier, 45(3): 307-311.

- Ettner, R. Etiology of gender dysphoria in Schechter (Ed.) <u>Gender Confirmation Surgery:</u> <u>Principles and Techniques for an Emerging Field.</u> Elsevier, 2017.
- Ettner, R. Pre-operative evaluation in Schechter (Ed.) <u>Surgical Management of the Transgender Patient</u>. Elsevier, 2017.
- Berli, J., Kudnson, G., Fraser, L., Tangpricha, V., Ettner, R., et al. Gender Confirmation Surgery: what surgeons need to know when providing care for transgender individuals. *JAMA Surgery*; 2017.
- Ettner, R., Ettner, F. & White, T. Choosing a surgeon: an exploratory study of factors influencing the selection of a gender affirmation surgeon. *Transgender Health*, 1(1), 2016.
- Ettner, R. & Guillamon, A. Theories of the etiology of transgender identity. In <u>Principles of Transgender Medicine and Surgery</u>. Ettner, Monstrey & Coleman (Eds.), 2nd edition; Routledge, June, 2016.
- Ettner, R., Monstrey, S, & Coleman, E. (Eds.) <u>Principles of Transgender Medicine and Surgery, 2nd edition</u>; Routledge, June, 2016.
- Bockting, W, Coleman, E., Deutsch, M., Guillamon, A., Meyer, I., Meyer, W., Reisner, S., Sevelius, J. & Ettner, R. Adult development and quality of life of transgender and gender nonconforming people. *Current Opinion in Endocrinology and Diabetes*, 2016.
- Ettner, R. Children with transgender parents in <u>Sage Encyclopedia of Psychology and Gender</u>. Nadal (Ed.) Sage Publications, 2017
- Ettner, R. Surgical treatments for the transgender population in <u>Lesbian, Gay, Bisexual, Transgender, and Intersex Healthcare: A Clinical Guide to Preventative, Primary, and Specialist Care</u>. Ehrenfeld & Eckstrand, (Eds.) Springer: MA, 2016.
- Ettner, R. Etiopathogenetic hypothesis on transsexualism in <u>Management of Gender Identity</u> <u>Dysphoria: A Multidisciplinary Approach to Transsexualism.</u> Trombetta, Liguori, Bertolotto, (Eds.) Springer: Italy, 2015.
- Ettner, R. Care of the elderly transgender patient. *Current Opinion in Endocrinology and Diabetes*, 2013, Vol. 20(6), 580-584.
- Ettner, R., and Wylie, K. Psychological and social adjustment in older transsexual people. *Maturitas*, March, 2013, Vol. 74, (3), 226-229.
- Ettner, R., Ettner, F. and White, T. Secrecy and the pathophysiology of hypertension. *International Journal of Family Medicine* 2012, Vol. 2012.

- Ettner, R. Psychotherapy in <u>Voice and Communication Therapy for the Transgender/Transsexual Client: A Comprehensive Clinical Guide</u>. Adler, Hirsch, Mordaunt, (Eds.) Plural Press, 2012.
- Coleman, E., Bockting, W., Botzer, M., Cohen-Kettenis, P., DeCuypere, G., Feldman, J., Fraser, L., Green, J., Knudson, G., Meyer, W., Monstrey, S., Adler, R., Brown, G., Devor, A., Ehrbar, R., Ettner, R., et.al. Standards of Care for the health of transsexual, transgender, and gender-nonconforming people. World Professional Association for Transgender Health (WPATH). 2012.
- Ettner, R., White, T., and Brown, G. Family and systems aggression towards therapists. *International Journal of Transgenderism*, Vol. 12, 2010.
- Ettner, R. The etiology of transsexualism in <u>Principles of Transgenger Medicine and Surgery</u>, Ettner, R., Monstrey, S., and Eyler, E. (Eds.). Routledge Press, 2007.
- Ettner, R., Monstrey, S., and Eyler, E. (Eds.) <u>Principles of Transgender Medicine and Surgery</u>. Routledge Press, 2007.
- Monstrey, S. De Cuypere, G. and Ettner, R. Surgery: General principles in <u>Principles of Transgender Medicine and Surgery</u>, Ettner, R., Monstrey, S., and Eyler, E. (Eds.) Routledge Press, 2007.
- Schechter, L., Boffa, J., Ettner, R., and Ettner, F. Revision vaginoplasty with sigmoid interposition: A reliable solution for a difficult problem. The World Professional Association for Transgender Health (WPATH), 2007, *XX Biennial Symposium*, 31-32.
- Ettner, R. Transsexual Couples: A qualitative evaluation of atypical partner preferences. *International Journal of Transgenderism*, Vol. 10, 2007.
- White, T. and Ettner, R. Adaptation and adjustment in children of transsexual parents. *European Journal of Child and Adolescent Psychiatry*, 2007: 16(4)215-221.
- Ettner, R. Sexual and gender identity disorders in <u>Diseases and Disorders</u>, Vol. 3, Brown Reference, London, 2006.
- Ettner, R., White, T., Brown, G., and Shah, B. Client aggression towards therapists: Is it more or less likely with transgendered clients? *International Journal of Transgenderism*, Vol. 9(2), 2006.
- Ettner, R. and White, T. in <u>Transgender Subjectives: A Clinician's Guide</u> Haworth Medical Press, Leli (Ed.) 2004.
- White, T. and Ettner, R. Disclosure, risks, and protective factors for children whose parents are undergoing a gender transition. *Journal of Gay and Lesbian Psychotherapy*, Vol. 8, 2004.

Witten, T., Benestad, L., Berger, L., Ekins, R., Ettner, R., Harima, K. Transgender and Transsexuality. <u>Encyclopeida of Sex and Gender</u>. Springer, Ember, & Ember (Eds.) Stonewall, Scotland, 2004.

Ettner, R. Book reviews. Archives of Sexual Behavior, April, 2002.

Ettner, R. Gender Loving Care: A Guide to Counseling Gender Variant Clients. WW Norton, 2000.

"Social and Psychological Issues of Aging in Transsexuals," proceedings, Harry Benjamin International Gender Dysphoria Association, Bologna, Italy, 2005.

"The Role of Psychological Tests in Forensic Settings," *Chicago Daily Law Bulletin*, 1997.

<u>Confessions of a Gender Defender: A Psychologist's Reflections on Life amongst the</u> Transgender. Chicago Spectrum Press. 1996.

"Post-traumatic Stress Disorder," Chicago Daily Law Bulletin, 1995.

"Compensation for Mental Injury," Chicago Daily Law Bulletin, 1994.

"Workshop Model for the Inclusion and Treatment of the Families of Transsexuals," Proceedings of the Harry Benjamin International Gender Dysphoria Symposium; Bavaria, Germany, 1995.

"Transsexualism- The Phenotypic Variable," Proceedings of the XV Harry Benjamin International Gender Dysphoria Association Symposium; Vancouver, Canada, 1997.

"The Work of Worrying: Emotional Preparation for Labor," <u>Pregnancy as Healing. A Holistic Philosophy for Prenatal Care</u>, Peterson, G. and Mehl, L. Vol. II. Chapter 13, Mindbody Press, 1985.

PROFESSIONAL AFFILIATIONS

University of Minnesota Medical School – Leadership Council American College of Forensic Psychologists World Professional Association for Transgender Health World Health Organization (WHO) Global Access Practice Network TransNet national network for transgender research American Psychological Association American College of Forensic Examiners Society for the Scientific Study of Sexuality Screenwriters and Actors Guild Phi Beta Kappa

AWARDS AND HONORS

Letter of commendation from United States Congress for contributions to public health in Illinois, 2019

WPATH Distinguished Education and Advocacy Award, 2018

The Randi and Fred Ettner Transgender Health Fellowship – Program in Human Sexuality, University of Minnesota, 2016

Phi Beta Kappa, 1972

Indiana University Women's Honor Society, 1970-1972

Indiana University Honors Program, 1970-1972

Merit Scholarship Recipient, 1970-1972

Indiana University Department of Psychology Outstanding Undergraduate Award Recipient, 1970-1972

Representative, Student Governing Commission, Indiana University, 1970

LICENSE

Clinical Psychologist, State of Illinois, 1980

Exhibit B – Bibliography

Document 69-1

BIBLIOGRAPHY

- 1. Ainsworth, T. & Spiegel, J. (2010) Quality of life of individuals with and without facial feminization surgery or gender reassignment surgery. *Quality of Life Research* 19(7): 1019-1024.
- 2. Altman, I. (1977). Privacy regulation: Culturally universal or culturally specific? *Journal of Social Issues*, 33.
- 3. American Psychiatric Association (2013). <u>Diagnostic and Statistical Manual of Mental Disorders (DSM-5)</u>. Washington, D.C. American Psychiatric Publishing.
- 4. Bauer, G. R., Scheim, A. I., Pyne, J., Travers, R., & Hammond, R. (2015). Intervenable factors associated with suicide risk in transgender persons: A respondent driven sampling study in Ontario, Canada. *BMC Public Health*, *15*. https://doi.org/10.1186/s12889-015-1867-2
- 5. Bentz, E.K., Hefler, L.A., Kaufman, U. et al (2008). A polymorphism of the CYP17 gene related to sex steroid metabolism is associated with female-to-male but not male-to-female transsexualism. *Fertility and Sterility* 90(1): 56-59.
- 6. Bockting, W. (2013). Transgender identity development. In Tolman & Diamond (eds.) <u>American Psychological Association's Handbook of Sexuality and Psychology</u>. Washington, D.C.: American Psychological Association.
- 7. Bockting, W. (2014). The impact of stigma on transgender identity development and mental health. In Kreukels, Steensma, and De Vries (eds). <u>Gender dysphoria and disorders of sex development: Progress in care and knowledge</u>. New York: Springer.
- 8. Bockting, W. & Coleman, E. Developmental stages of the transgender coming out: Toward an integrated identity. In Ettner, Monstrey & Eyler (eds.) <u>Principles</u> of Transgender Medicine and Surgery. New York: Haworth Press.
- 9. Brown, D. (1991). <u>Human Universals</u>. Philadelphia: Temple University Press.
- 10. Budge, S., Adelson, J. & Howard, K. (2013). Anxiety and depression in transgender individuals: The role of transition status, loss, social support, and coping. *Journal of Consulting and Clinical Psychology* 81(3): 545.
- 11. Chung, W., De Vries, G., Swaab, D. (2002). Sexual differentiation of the bed nucleus of the the stria terminalis in humans may extend into adulthood. *Journal of Neuroscience* 22(3): 1027-1033.

- 12. Meier, S., Fitzgerald, K., Pardo, S. & Babcock, J. (2011). The effects of hormonal gender affirmation treatment on mental health in female-to-male transsexuals. *Journal of Gay & Lesbian Mental Health* 15(3): 281-299.
- 13. Cooper, J. (2003) Privacy. London: Sweet and Maxwell.
- 14. Crocker, J., Major, B. & Steele, C. (1998). Social Stigma in Fiske & Gilbert (eds.) Handbook of Social Psychology, Vol. 11.
- 15. Devor, A. (2004). Witnessing and mirroring: A fourteen stage model of transsexual identity formation. *Journal of Gay and Lesbian Psychotherapy* 8(1/2): 41-67.
- 16. Diamond, M. (2013). Transsexuality among twins: identity concordance, transition, rearing, and orientation. *International Journal of Transgenderism* 14: 24-28.
- 17. Diamond, L., Pardo, S., Butterworth, M. (2011). Transgender experience and identity. In Schwartz et al (eds) <u>Handbook of Identity Theory and Research</u>: Springer.
- 18. Ettner, R. (1999). Gender Loving Care. Norton: New York.
- 19. Ettner, R., Ettner, F. & White, T. (2012). Secrecy and the pathophysiology of hypertension. *International Journal of Family Medicine*: 2012.
- 20. Ettner, R. (2015). Etiopathogenetic hypothesis on transsexualism. In Trombetta, Luguori & Bertolotto (eds.) <u>Management of Gender Identity Dysphoria: A Multidimensional Approach to Transsexualism</u>. Italy: Springer.
- 21. Ettner, R. & Guillamon, A. (2016). Theories of the etiology of transgenderism. In Principles of Transgender Medicine and Surgery. Ettner, Monstrey & Coleman (eds). New York: Routledge.
- 22. Erickson, E. (1956) The problem of ego identity. *Journal of the American Psychoanalytic Association* 4(1): 56-121.
- 23. Fernandez, R., Esteva, I., Gomez-Gil, E., Rumbo, T. et al (2014b) The (CA) in polymorphism of ERb gene is associated with FtM transsexualism. *Journal of Sexual Medicine*, 11:720-728.
- 24. Frost, D., Lehavot, K. Meyer, I. (in press). Minority stress and physical health among sexual minority individuals. *Journal of Behavioral Medicine*. DOI: 10.1007/s10865-013-9523-8.

- 25. Galis, F., Ten Broek, C., Van Dongen, S., et al. (2010). Sexual dimorphism in the prenatal digit ratio (2D:4D). *Archives of Sexual Behavior* 39(1):57-62.
- 26. Garcia-Falgueras, A. & Swaab, D. A sex difference in the hypothalamic uncinated nucleus: relationship to gender identity. *Brain* 131: 3132-3146.
- 27. Goffman, E. (1969). <u>The Presentation of Self in Everyday Life</u>. London: Allen Lane.
- 28. Gomez-Gil, E., Esteva, I., Almaraz, M,C. et al (2010). Familiarity of gender identity disorder in non-twin siblings. *Archives of Sexual Behavior* 39(2): 265-269.
- 29. Gomez-Gil, E., Zubiaurre-Elorza, L., Esteva, I., Guillamon, A. et al (2012). Hormone treated transsexuals report less social distress, anxiety and depression. *Psychoneuroendocrinology* 37(5): 662-670.
- 30. Green, R. (2000). Family co-occurrence of "gender dysphoria": ten siblings or parent-child pairs. *Archives of Sexual Behavior* 29(5): 499-507.
- 31. Greenberg, R. & Laurence, L. (1981). A comparison of MMPI results for psychiatric patients and male applicants for transsexual surgery. *Journal of Nervous and Mental Disease* 169(5): 320-323.
- 32. Hare, L., Bernard, P., Sanchez, F. et al (2009). Androgen receptor length polymorphism associated with male-to-female transsexualism. *Biological Psychiatry* 65(1): 93-96.
- 33. Henningsson, S., Westberg, L, Nilsson, S. et al (2005). Sex steroid-related genes and male-to-female transsexualism. *Psychoneuroendocrinology* 30(7): 657-664.
- 34. Hofstadter, S. & Horowitz, G. (1964). <u>The Right of Privacy</u>. New York: Central Book Company.
- 35. Glottfelter, M. & Anderson, V. (2017). Relationships between gender self-esteem, sexual prejudice, and trans prejudice in cisgender heterosexual college students. *International Journal of Transgenderism*, 18(2):192-198.
- 36. Inness, J. (1992). <u>Privacy, Intimacy and Isolation</u>. New York: Oxford University Press.
- 37. Longo, M., Azanon, E. & Haggard, P. (2010). More than skin deep: body representation beyond primary somatosensory cortex. *Neuropsychologia* 48: 665-668.

- 38. Luders, E., Narr, K., Thompson, P., Rex, D. et al (2006). Gender effects on cortical thickness and the influence of scaling. *Human Brain Mapping* 27: 314.
- 39. Klopfer, P. & Rubenstein, P. (1977). The concept privacy and its biological basis. *Journal of Social Issues* 33(3).
- 40. Krebs, J. & Davies, N. (1993). <u>An Introduction to Behavioural Ecology.</u> Oxford Blackwell Scientific.
- 41. Margulis, (1977a). Privacy as a behavioral phenomenon. *Journal of Social Issues*, 33(3).
- 42. Matheson, D. (2009) Contours of Privacy; Cambridge Scholars Publishing.
- 43. McLean, D. (1995). Privacy and its Invasion. Connecticut: Praeger.
- 44. Moore, B. (1984). <u>Privacy: Studies in Social and Cultural History.</u> New York: M. E. Sharpe.
- 45. Newfield, E., Hart, S., Dibble, S. & Kohler, L. (2006). Female-to-male transgender quality of life. *Quality of Life Research* 15(9) 1447-1457.
- 46. Nuttbrock, L, Rosenblum, A. & Blumenstein, R. (2002). Transgender identity affirmation and mental health. *International Journal of Transgenderism* 6(4).
- 47. Pauly, I. (1992). Terminology and classification of gender identity disorders. In Bockting & Coleman (eds.) Gender Dysphoria: Interdisciplinary Approaches in Clinical Management. New York: Haworth.
- 48. Rametti, G., Carillo, B., Gomez-Gil, E., Junque, C. et al (2011a) White matter microstructure in female to male transsexuals before cross-sex hormonal treatment: A diffusion tensor imaging study. *Journal of Psychiatric Research* 45:199-204.
- 49. Savic, I. & Arver, S. (2011). Sex dimorphism of the brain in male-to-female transsexuals. *Cerebral Cortex* 23: 2855-2862.
- 50. Schneider, C. (1992) Shame, Exposure, and Privacy. New York: Norton.
- 51. Schneider, H., Pickel, J., Stalla, G. (2006). Typical female 2nd -4th finger length (2D:4D) ratios in male-to-female transsexuals-possible implications for prenatal androgen exposure. *Psychoneuroendocrinology* 31(2):265-269.
- 52. Seelman, K. (2016). Trans adults' access to college bathrooms and housing and the relationship to suicidality. *Journal of Homosexuality* 63(10).

- 53. Shaw, P., Kabani, N., Lerch, J. Eckstrand, K. et al (2008). Neurodevelopmental trajectories of the human cerebral cortex. *Journal of Neuroscience* 28: 3586-3594.
- 54. Singh, A., Hays, D. & Watson. (2011). Strengths in the face of adversity: Resilience strategies of transgender individuals. *Journal of Counseling and Development* 89(1): 20-27.
- 55. Taziaux, M., Swaab, D., Bakker, J. (2012). Sex differences in the neurokin B system in the human infundibular nucleus. *Journal of Clinical Endocrinology and Metabolism* 97(12) 2010-2020.
- 56. Westin, A. (1968) Privacy and freedom. Washington and Lee Law Review, 25(1).
- 57. World Professional Association for Transgender Health, <u>Standards of Care for the Health of Transsexual, Transgender, and Gender-Nonconforming People, 7th version</u> (2012).
- 58. Zhou, J., Hofman, M., Gooren, L., et al (1995). A sex difference in the human brain and its relation to transsexuality. *Nature* 378(6552): 68-70.
- 59. Zubiaurre-Elorza, L., Junque, C., Gomez-Gil, E. & Guillamon, A. (2014). Effects of cross-sex hormone treatment on cortical thickness in transsexual individuals. *Journal of Sexual Medicine* 11: 1248-1261.